



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	3
Response Date	07/11/12 10:56
Consultation Point	Map 2.1 New Cross Hospital Site, Avonley Road (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	4
Response Date	07/11/12 11:00
Consultation Point	Map 2.3 Giffin Street, Deptford (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	5
Response Date	07/11/12 11:04
Consultation Point	Map 2.4 Octavius Street & Deptford Station, Deptford High Street (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	6
Response Date	07/11/12 11:06
Consultation Point	Map 2.5 Site Between New Cross Station, 267 New Cross Road and 23-27 & 29 Goodwood Road (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	7
Response Date	07/11/12 11:08
Consultation Point	Map 2.6 New Cross Gate Retail Park/Sainsbury's Site SE14 (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	8
Response Date	07/11/12 11:16
Consultation Point	Map 2.8(a) Childers Street Mixed Use Employment Location (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	9
Response Date	07/11/12 11:19
Consultation Point	Map 2.8(b) Arklow Road Mixed Use Employment Location (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	10
Response Date	07/11/12 11:19
Consultation Point	Map 2.9 Grinstead Road Mixed Use Employment Location, Deptford (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification.



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	11
Response Date	07/11/12 11:56
Consultation Point	Map 2.15 Prendergast Vale College, Elmira Street (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	13
Response Date	07/11/12 12:00
Consultation Point	Map 2.17 Site East of Forest Hill Railway Line at Waldram Place/Perry Vale including Timber Yard (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	19
Response Date	07/11/12 13:07
Consultation Point	Map 2.18 Site at Forest Hill Station including Car Park & Storage Yard (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the proposed modification.



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	20
Response Date	07/11/12 13:09
Consultation Point	Map 2.19 Fairway House, Forest Hill (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	21
Response Date	07/11/12 13:11
Consultation Point	Map 2.20 O'Rourke Transport/Sivyer Transport Site, 154-160 Sydenham Road (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	22
Response Date	07/11/12 13:13
Consultation Point	Map 2.21 113-157 Sydenham Road (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	23
Response Date	07/11/12 13:16
Consultation Point	Map 2.37 16A Algernon Road, Lewisham (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	24
Response Date	07/11/12 13:18
Consultation Point	Map 2.38 Former United Diaries Depot, Baring Road, Lee (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the recommended modification. if it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	25
Response Date	07/11/12 13:19
Consultation Point	Map 2.41 Former Green Man Public House 355-357 Bromley Road (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames Water agrees to the proposed modification.



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	26
Response Date	07/11/12 13:21
Consultation Point	Map 2.42 Former Tiger's Head Public House, 350 Bromley Road (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes

If you think that the recommended modification should not be made or have other comments on the modification please give your reasons/comments below.

Thames water agrees to the proposed modification. If it is helpful the following additional text could also be included: "Developers may contact Thames Water to discuss the infrastructure necessary to serve the development on 0845 8502777."



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	2
Response Date	07/11/12 10:20
Consultation Point	Table 2.5 Safeguarded sites (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes



Comment

Agent	Mr. Phil Jameson (706520)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Consultee	Mr. Phil Jameson (706524)
Email Address	Philip.Jameson@thameswater.co.uk
Company / Organisation	Thames Water Utilities Ltd
Address	Thames Water Property Services Clearwater Court Reading RG1 8DB
Event Name	Lewisham Site Allocations Local Plan - Submission Version
Comment by	Thames Water Utilities Ltd (Mr. Phil Jameson)
Comment ID	12
Response Date	07/11/12 11:58
Consultation Point	Table 2.7 Local Employment Locations (LEL) (View)
Status	Submitted
Submission Type	Web
Version	0.1
Do you agree with the inclusion of the recommended modification to the Submission Plan?	Yes